



PayCert
48 rue Montmartre
75002 Paris
France

Paris, 13 November 2024

Revenue Collection Systems SAS
Rue de la Mare aux Joncs
BP 57, 91229 Bretigny sur orge
FRANCE

CEN TS 16794 Compliance Certificate - PCD

A smart Ticketing Alliance certification program

Certificate Number: **CNAPC/PCD-00043**

Product/System name: **ENSEMBLE KIT CIBLE TPV SGP (commercial identification)**

Compliant with : **CEN/TS 16794-1:2017**

PT reader type : **IFM reader (full range A and B)**

Operational temp. range : **Class D (-25 °C to + 55 °C)**

Dear Customer,

The Certification Body PayCert has received a request, submitted by Revenue Collection Systems SAS, your company, for the Certification of the PCD product ENSEMBLE KIT CIBLE TPV SGP (PCD Hardware version: vA, PCD Software version: v2.78.02), hereafter referred to as the Product and identified above as "ENSEMBLE KIT CIBLE TPV SGP".

In connection with your request, we have received your Implementation Conformance Statement (ICS), referred to as PAY.RCS.PCD.CEN16794.2017.2024-009 dated 2024/09/20 and we have assessed your Test Report(s) (ref. IC.E.RE.2409.017_v1.0 (Analog)), which was generated by ICUBE TESTING CENTER, following the Test Plan "CEN/TS 16794-2:2017".

Based on these elements, as indicated in PayCert's Certification Report (ref. CER/EVR/PCD/2024-185 v1.0.0) the Certification Body has found reasonable evidence that the submitted samples of the Product comply to the CEN/TS 16794-1:2017 specification.

The Certification Body hereby grants the Product Certification of compliance with the requirements stated by the CEN/TS 16794 standard and will include your Product in the certified products list, published on PayCert website (www.cna-paycert-certification.com).



PayCert
48 rue Montmartre
75002 Paris
France

Please note that the present Certification (ref. CER/CLE/PCD/2024-199 v1.1.0) is subject to the following terms and conditions as listed hereafter:

i) The present Certification is granted on the basis of the Smart Ticketing Alliance Certification Policy and therefore is valid as of today and will expire on the 13 November 2031.

ii) If the Product is changed, Revenue Collection Systems SAS must notify the Certification Body of this fact in writing. Any change in the Product that may generate a different behaviour with respect to the CEN/TS 16794 standard or a difference in the Product Implementation Conformance Statement will be considered a major modification subject to a new evaluation in order to maintain the present Certification.

iii) The present Certification granted to Revenue Collection Systems SAS for the above referenced Product is non-transferable to any other vendor.

The Certification Body has the right to terminate or revoke the Certification should any of the aforementioned terms and conditions be not respected.

Revenue Collection Systems SAS, Certificate Number: CNAPC/PCD-00043

The present certification letter supersedes the certification letter
Ref. CER/CLE/PCD/2024-199 v1.0.0 issued on November 12th 2024

Name: Laurence Masson

Title: Chief Operating Officer





PayCert
48 rue Montmartre
75002 Paris
France

a. PCD Product Description

[PCD1] Administrative data

[PCD1.1] (*) Brand name: ENSEMBLE KIT CIBLE TPV SGP

[PCD1.2] (*) Trade name: ENSEMBLE KIT CIBLE TPV SGP – Ref 67166697AA

[PCD1.3a] (*) PCD Hardware version: A

[PCD1.3b] (*) PCD Software version: v2.78.02

[PCD1.4] (*) Ref of the contactless reader: 62255827 (CSC V4 reader) 67166187AB (antenna)

[PCD1.4a] (*) Hardware version of the contactless reader: D (reader) B (antenna)

[PCD1.4b] (*) Software version of the contactless reader: v2.78.02

[PCD1.5] (*) EMVCo Contactless Approval number (if applicable): N/A

[PCD1.6] (*) Hardware provided to the test Laboratory :

Reader module to to be integrated in a final product

~~Part of the final product~~

~~Final product~~

The PCD is based on a STA certified PCD (*): YES

If yes STA PCD certificate number (*): CNAPC/PCD-00042

If yes rationale to justify the delta-certification (*): Firmware is the same, so digital test results should be the same

b. PCD General Technical Characteristics

[PCD2.1] (*) PT Reader Type: IFM reader (full range A and B)

[PCD2.2] (*) Transaction supported when more than one PICC in the field: NO

[PCD2.3] (*) Operational temperature range supported: Class D (-25 °C to +55° C)

[PCD2.7] (*) Reference of the PCD Zero Point – Range A (target ID marked on sample or photo or diagram)





PayCert
48 rue Montmartre
75002 Paris
France

[PCD2.11] (*) Reference of the PCD Zero Point – Range B (target ID marked on sample or photo or diagram)

Idem as Range A

c. PCD Supported Options

[PCD3] Protocol characteristics

[PCD3.1] (*) Other supported communication signal interface(s) or protocol(s):
VASUPB - APPLE

[PCD4] Type A

[PCD4.1] (*) PCD -> PICC bit rates supported: fc/128 (~106 kbit/s)
Other: N/A

[PCD4.2] (*) PICC -> PCD bit rates supported: fc/128 (~106 kbit/s)
Other: N/A

[PCD5] Type B

[PCD5.1] (*) PCD -> PICC bit rates supported: fc/128 (~106 kbit/s)
Other: N/A

[PCD5.2] (*) PICC -> PCD bit rates supported: fc/128 (~106 kbit/s)
Other: N/A

d. PCD Test Parameters

[PCD6] Test parameters

[PCD6.2c] (*) PCD internal output buffer size (used for Maximum size of UT_APDU): 256 bytes

[PCD6.2d] (*) PCD internal input buffer size (used for Max size of response UT_APDU): 256 bytes